

# CCC '11 S4 - Blood Distribution

---

**Time limit:** 1.0s    **Memory limit:** 256M

---

## Canadian Computing Competition: 2011 Stage 1, Senior #4

At the Canadian Cardiac Centre there are four types of blood available: O, A, B, and AB. Each of these types of blood has an Rh factor, which is either "positive" or "negative". There are many patients who each require 1 unit of blood. Each patient's blood type determines the type of blood s/he may receive:

- Each Type O patient requires Type O blood.
- Each Type A patient may receive blood of Type A or Type O.
- Each Type B patient may receive blood of Type B or Type O.
- Each Type AB patient may receive blood of any type.

Patients who have Rh-negative blood can accept Rh-negative blood only, but patients with Rh-positive blood can accept either Rh-positive or Rh-negative types of blood.

We want as many patients as possible to receive a unit of blood. What is the maximum number of patients that can receive blood?

## Input Specification

---

The first line of input contains 8 integers: the number of units of blood of Type O negative, O positive, A negative, A positive, B negative, B positive, AB negative and AB positive. This is followed by a line containing eight numbers: the number of patients whose blood type is O negative, O positive, A negative, A positive, B negative, B positive, and AB negative and AB positive. Each of these integers will be at least 0 and less than  $10^7$ .

## Output Specification

---

The output of your program should be a single number: the maximum number of patients that can receive blood.

## Sample Input

---

```
5 5 3 1 2 11 5 12
2 4 9 2 3 9 7 3
```

## Sample Output

---

```
33
```

## Explanation for Sample Output

---

- 2 Type O- patients receive Type O- blood
- 4 Type O+ patients receive Type O+ blood
- 3 Type A- patients receive Type A- blood
- 3 Type A- patients receive Type O- blood
- 1 Type A+ patient receives Type A+ blood
- 1 Type A+ patient receives Type O+ blood
- 2 Type B- patients receive Type B- blood
- 9 Type B+ patients receive Type B+ blood
- 5 Type AB- patients receive Type AB- blood
- 3 Type AB+ patients receive Type AB+ blood