

Educational DP Contest AtCoder E - Knapsack 2

Time limit: 0.15s **Memory limit:** 1G

Java: 0.5s

Python: 1.0s

There are N items, numbered $1, 2, \dots, N$. For each i ($1 \leq i \leq N$), item i has a weight of w_i and a value of v_i .

Taro has decided to choose some of the N items and carry them home in a knapsack. The capacity of the knapsack is W , which means that the sum of the weights of items taken must be at most W .

Find the maximum possible sum of the values of items that Taro takes home.

Constraints

- All values in input are integers.
- $1 \leq N \leq 100$
- $1 \leq W \leq 10^9$
- $1 \leq w_i \leq W$
- $1 \leq v_i \leq 10^3$

Input Specification

The first line of input will contain 2 space separated integers, N and W .

The next N lines will contain 2 space separated integers, w_i and v_i , the weight and value of item i .

Output Specification

You are to output a single integer, the maximum possible sum of the values of items that Taro takes home.

Sample Input 1

```
3 8
3 30
4 50
5 60
```

Sample Output 1

```
90
```

Sample Input 2

```
1 1000000000
1000000000 10
```

Sample Output 2

```
10
```

Sample Input 3

```
6 15
6 5
5 6
6 4
6 6
3 5
7 2
```

Sample Output 3

```
17
```

Sample Explanations

For the first sample, items 1 and 3 should be taken. Then, the sum of the weights is $3 + 5 = 8$, and the sum of the values is $30 + 60 = 90$.

For the third sample, items 2, 4, and 5 should be taken. Then, the sum of the weights is $5 + 6 + 3 = 14$, and the sum of the values is $6 + 6 + 5 = 17$.