

# Hello, World!

---

**Time limit:** 2.0s   **Memory limit:** 128M

---

Welcome to the DMOJ!

In this task, you must print out the message `Hello, World!` — the judge is very strict, so you must output it with the same capitalization and punctuation.

Some example solutions in a couple of languages are shown below. After you've gotten the hang of submitting, try out a harder problem like [A Plus B](#).

## Python 2/3

---

```
print("Hello, World!")
```

## Java

---

```
public class HelloWorld {
    public static void main(String[] args) {
        System.out.println("Hello, World!");
    }
}
```

## C++

---

```
#include <iostream>

using namespace std;

int main() {
    cout << "Hello, World!" << endl;
    return 0;
}
```

## C

---

```
#include <stdio.h>

int main() {
    printf("Hello, World!\n");
    return 0;
}
```

## Pascal

---

```
program helloworld;
begin
    writeln('Hello, World!');
end.
```

## JavaScript (Node.js)

---

```
console.log('Hello, World!');
```

## JavaScript (V8)

---

```
print('Hello, World!');
```

## Turing

---

```
put "Hello, World!"
```

## Algol 68

---

```
print(("Hello, World!", newline))
```

## Haskell

---

```
main = putStrLn "Hello, World!"
```

## Perl

---

```
print "Hello, World!\n";
```

## PHP

---

```
<?php  
    echo "Hello, World!\n";  
?>
```

## C#

---

```
using System;  
  
class HelloWorld {  
    public static void Main(string[] args) {  
        Console.WriteLine("Hello, World!");  
    }  
}
```

## D

---

```
import std.stdio;  
  
void main() {  
    writeln("Hello, World!");  
}
```

## Go

---

```
package main

import "fmt"

func main() {
    fmt.Println("Hello, World!")
}
```

## Scala

---

```
object helloworld extends App {
    println("Hello, World!")
}
```

## Swift

---

```
print("Hello, World!")
```

## Kotlin

---

```
fun main(args: Array<String>) {
    print("Hello, World!")
}
```

## Racket

---

```
#lang racket
(displayln "Hello, World!")
```

## Ruby

---

```
puts 'Hello, World!'
```

## Rust

---

```
fn main() {  
    println!("Hello, World!");  
}
```

## OCaml

---

```
print_string "Hello, World!\n";
```

## NASM x86

---

```
section .text  
global _start  
  
_start:  
    mov     eax,     4  
    xor     ebx,     ebx  
    inc     ebx  
    mov     ecx,     msg  
    mov     edx,     len  
    int     80h  
  
    xor     eax,     eax  
    inc     eax  
    xor     ebx,     ebx  
    int     80h  
  
section .data  
msg     db         "Hello, World!", 0xA  
len     equ       $ - msg
```